



PREMIUM AUDIT

NAME OF PROJECT	CryptoINK
TOKEN BEP20 ADDRESS	0xc80a813b69EDc8eC391306210Cb4010B704cb4E7
WEBSITE / TELEGRAM	http://www.cryptoink.online



CryptoINK

CRYPTO INTERNATIONAL KEEPER

DISCLAIMER: PLEASE READ FULL AUDIT



IMPORTANT DISCLAIMER

I.

NOT RESPONSIBLE

Analytix Audit holds no responsibility for any actions from the project in this audit.

II.

NOT GUARANTEE

Analytix Audit in no way guarantees that a project will not remove liquidity, sell off team tokens, or exit scam.

III.

INFORMATION

Analytix Audit researches and provides public information about the project in an easy-to-understand format for the common person.

IV.

AUDIT AGREEMENT

This audit agreement does not guarantee ANY illicit actions by the project team and does not serve as an advocacy for the project.

V.

NO ADVICE


Analytix Audit in no way takes responsibility for any losses, not does Analytix Audit encourage any speculative investments.

VI.

DISCLAIMER

The information provided in this audit is for information purposes only and should not be considered investment advice. Analytix Audit does not endorse, recommend, support, or suggest any projects that have been audited.

TOKENOMICS - OVERVIEW



*more than 15% of total supply is unlocked

(This comment refers to when the audit was carried out maybe team locked tokens later)

CONTRACT CODE - PRIVILEGES

```
520  * Requirements:
521  *
522  * - the calling contract must have an ETH balance of at least `value`.
523  * - the called Solidity function must be `payable`.
524  *
525  * _Available since v3.1._
526  */
527  function functionCallWithValue(
528      address target,
529      bytes memory data,
530      uint256 value
531  ) internal returns (bytes memory) {
532      return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533  }
534
535  /**
536  * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but
537  * with `errorMessage` as a fallback revert reason when `target` reverts.
538  *
539  * _Available since v3.1._
540  */
541  function functionCallWithValue(
542      address target,
543      bytes memory data,
544      uint256 value,
545      string memory errorMessage
546  ) internal returns (bytes memory) {
547      require(address(this).balance >= value, "Address: insufficient balance for call");
548      require(isContract(target), "Address: call to non-contract");
549
550      (bool success, bytes memory returndata) = target.call{value: value}(data);
```

- **Mint:** Owner can't mint new tokens
- **Fees:** Owner can't change fees over 25%
- **Trading:** Owner can't change trading status
- **Max Tx:** Owner can't change maxTx
- **Max Wallet:** Owner can't change max wallet
- **Blacklist:** Owner can't blacklist wallet

Authorized Privileges:

```
520 * Requirements:
521 *
522 * - the calling contract must have an ETH balance of at least `value`.
523 * - the called Solidity function must be `payable`.
524 *
525 * _Available since v3.1._
526 */
527 function functionCallWithValue(
528     address target,
529     bytes memory data,
530     uint256 value
531 ) internal returns (bytes memory) {
532     return functionCallWithValue(target, data, value, "Address: low-level call with value failed");
533 }
534
535 /**
536 * @dev Same as {xref-Address-functionCallWithValue-address-bytes-uint256-}[`functionCallWithValue`], but
537 * with `errorMessage` as a fallback revert reason when `target` reverts.
538 *
539 * _Available since v3.1._
540 */
541 function functionCallWithValue(
542     address target,
543     bytes memory data,
544     uint256 value,
545     string memory errorMessage
546 ) internal returns (bytes memory) {
547     require(address(this).balance >= value, "Address: insufficient balance for call");
548     require(isContract(target), "Address: call to non-contract");
549
550     (bool success, bytes memory returndata) = target.call{value: value}(data);
```

```
function authorize(address adr) public onlyOwner {
function unauthorize(address adr) public onlyOwner {
function transferOwnership(address payable adr) public onlyOwner {
    function setDistributionCriteria(
function triggerZeusBuyback(uint256 amount, bool triggerBuybackMultiplier)
function clearBuybackMultiplier() external authorized {
    function setAutoBuybackSettings(
        function setBuybackMultiplierSettings(
            function setIsDividendExempt(address holder, bool exempt)
            function setIsFeeExempt(address holder) external authorized {
function setBuyBacker(address acc, bool add) external authorized {
    function setFees(
        function setFeeReceivers(address _marketingFeeReceiver)
        function setSwapBackSettings(bool _enabled, uint256 _amount)
function setTargetLiquidity(uint256 _target, uint256 _denominator)
function setDistributorSettings(uint256 gas) external authorized {
```

Issue Checking:

N°	Issue description.	Checking Status.
1	Compiler Errors	Passed
2	Race conditions and Reentrancy. Cross-function race conditions.	Passed
3	Possible delays in data delivery.	Passed
4	Oracle calls.	Passed
5	Front running.	Passed
6	Timestamp dependence.	Passed
7	Integer Overflow and Underflow.	Passed
8	DoS with Revert.	Passed
9	DoS with block gas limit.	Passed
10	Methods execution permissions.	Passed
11	Economy model.	Passed
12	The impact of the exchange rate on the logic.	Passed
13	Private user data leaks.	Passed
14	Malicious Event log	Passed
15	Scoping and Declarations.	Passed
16	Uninitialized storage pointers.	Passed
17	Arithmetic accuracy.	Passed
18	Design Logic.	Passed
19	Cross-function race conditions.	Passed
20	Safe Zeppelin module	Passed
21	Fallback function security.	Passed

Audit Result:

PASSED

WEBSITE - OVERVIEW



SSL CERTIFICATE: A

(<https://www.ssllabs.com>)

SOCIAL MEDIA - OVERVIEW



CRYPTOINK_OFFICIAL_GROUP



MAKE_STMK



CRYPTOINK.ONLINE